

SAFETY DATA SHEET

1. Product and Company Identification

Product identifier	Stain and Finishing Oil under the brand Fusion Mineral Paint, Homestead House
Other means of identification	Driftwood, Cappuccino, White
Synonyms	Not available.
Recommended use	Stain and Finishing oil
Recommended restrictions	None known.
Manufacturer information	Homestead House Paint Company 101 Portland Street Etobicoke, ON M8Y 1B1 CA Website: homesteadhouse.ca Email: info@homesteadhouse.ca Phone: 416-504-9984 Emergency Phone (24 hr): Call CANUTEC: 1-888-226-8832
Supplier	See above.

2. Hazards Identification

Physical hazards	Flammable liquids	Category 4
Health hazards	Carcinogenicity	Category 2
Environmental hazards	Not classified.	
WHMIS 2015 defined hazards	Not classified	

Label elements



Signal word	Warning
Hazard statement	Combustible liquid. Suspected of causing cancer.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves, protective clothing, eye protection and face protection.
Response	In case of fire: Use appropriate media to extinguish. IF exposed or concerned: Get medical attention.
Storage	Store in a well-ventilated place. Store locked up.
Disposal	Dispose of container in accordance with local, regional, national and international regulations.
WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)	None known
WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)	None known
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/Information on Ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Hydrocarbons, C11-14, Isoalkanes, cyclics, 2% aromatics		1174522-15-6	30 - 60 *
Titanium oxide		13463-67-7	1 - 5*, 10 - 30*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments *CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.
US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

4. First Aid Measures

Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Skin contact	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.
Eye contact	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Combustible liquid.
Hazardous combustion products	May include and are not limited to: Oxides of carbon.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
Environmental precautions	Do not discharge into lakes, streams, ponds or public waters.

7. Handling and Storage

Precautions for safe handling	Keep away from open flames, hot surfaces and sources of ignition. Wear appropriate personal protective equipment. Provide adequate ventilation. Avoid prolonged exposure. Observe good industrial hygiene practices. Wash thoroughly after handling. When handling, do not eat, drink or smoke.
--------------------------------------	---

**Conditions for safe storage,
including any incompatibilities**

Keep away from heat, sparks and open flame.
Store in a cool, dry place out of direct sunlight.
Store in original tightly closed container.
Store in a well-ventilated place.
Store away from incompatible materials (see Section 10 of the SDS).
Keep out of reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits**Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)**

Components	Type	Value
Titanium oxide (CAS 13463-67-7)	TWA	10 mg/m3

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form
Titanium oxide (CAS 13463-67-7)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value
Titanium oxide (CAS 13463-67-7)	TWA	10 mg/m3

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value
Titanium oxide (CAS 13463-67-7)	TWA	10 mg/m3

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Type	Value	Form
Titanium oxide (CAS 13463-67-7)	TWA	10 mg/m3	Total dust.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Titanium oxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
Titanium oxide (CAS 13463-67-7)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value
Titanium oxide (CAS 13463-67-7)	TWA	10 mg/m3

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines**Canada - Alberta OELs: Skin designation**

Heavy aromatic solvent naphtha (petroleum) (CAS 64742-94-5) Can be absorbed through the skin.

Canada - British Columbia OELs: Skin designation

Heavy aromatic solvent naphtha (petroleum) (CAS 64742-94-5) Can be absorbed through the skin.

Canada - Manitoba OELs: Skin designation

1,3-Isobenzofurandione (CAS 85-44-9) Can be absorbed through the skin.
Heavy aromatic solvent naphtha (petroleum) (CAS 64742-94-5) Can be absorbed through the skin.

Canada - Ontario OELs: Skin designation

Heavy aromatic solvent naphtha (petroleum) (CAS 64742-94-5) Can be absorbed through the skin.

Canada - Saskatchewan OELs: Skin designation

Heavy aromatic solvent naphtha (petroleum) (CAS 64742-94-5)

Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

1,3-Isobenzofurandione (CAS 85-44-9)

Can be absorbed through the skin.

Heavy aromatic solvent naphtha (petroleum) (CAS 64742-94-5)

Can be absorbed through the skin.

Appropriate engineering controls Ensure adequate ventilation.**Individual protection measures, such as personal protective equipment****Eye/face protection** Not available.**Skin protection****Hand protection** Rubber gloves. Confirm with a reputable supplier first.**Other** As required by employer code.**Respiratory protection** Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).**Thermal hazards** Not applicable.**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

9. Physical and Chemical Properties

Appearance	Liquid
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	Not available.
Specific gravity	Not available.
Partition coefficient (n-octanol/water)	Not available.
Flash point	143.6 °F (62.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	> 20.5 mm ² /s @ 40°C
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and Reactivity

Reactivity	Keep away from incompatible materials.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Do not mix with other chemicals.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.
Information on likely routes of exposure	
Ingestion	May cause stomach distress, nausea or vomiting.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological effects	

Acute toxicity

Components	Species	Test Results
Hydrocarbons, C11-14, Isoalkanes, cyclics, 2% aromatics (CAS 1174522-15-6)		
Acute		
<i>Dermal</i>		
LD50	Rat	> 5000 mg/kg, ECHA
<i>Inhalation</i>		
LC50	Rat	> 4951 mg/m ³ , 4 h, ECHA
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg, Henkel
Titanium oxide (CAS 13463-67-7)		
Acute		
<i>Dermal</i>		
LD50	Not available	
<i>Inhalation</i>		
LC50	Rat	> 6.8 mg/L, 4 Hours, ECHA > 3.6 mg/l/4h, ECHA > 3.6 mg/L, 4 Hours, ECHA > 2.3 mg/L, 4 Hours, ECHA 5.1 mg/L, 4 Hours, ECHA 3.4 mg/L, 4 Hours, ECHA
<i>Oral</i>		
LD50	Mouse	> 5000 mg/kg, ECHA
	Rat	> 25000 mg/kg, ECHA > 11000 mg/kg, ECHA > 5000 mg/kg, ECHA > 2000 mg/kg, ECHA

Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Exposure minutes	Not available.
Erythema value	Not available.
Oedema value	Not available.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.

Corneal opacity value	Not available.
Iris lesion value	Not available.
Conjunctival reddening value	Not available.
Conjunctival oedema value	Not available.
Recover days	Not available.

Respiratory or skin sensitization

ACGIH sensitization

1,3-Isobenzofurandione (CAS 85-44-9)	Dermal sensitization Respiratory sensitization
--------------------------------------	---

Canada - Alberta OELs: Irritant

2,4-Pentanediol, 2-methyl- (CAS 107-41-5)	Irritant
Acetic acid, butyl ester (CAS 123-86-4)	Irritant
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)	Irritant
Titanium oxide (CAS 13463-67-7)	Irritant

Canada - British Columbia OELs: Respiratory or skin sensitiser

1,3-Isobenzofurandione (CAS 85-44-9)	Capable of causing respiratory, dermal or conjunctival sensitization.
--------------------------------------	---

Canada - Manitoba OELs Hazard: Dermal sensitization

1,3-Isobenzofurandione (CAS 85-44-9)	Dermal sensitization
--------------------------------------	----------------------

Canada - Manitoba OELs Hazard: Respiratory sensitization

1,3-Isobenzofurandione (CAS 85-44-9)	Respiratory sensitization
--------------------------------------	---------------------------

Canada - Saskatchewan OELs Hazard Data: Sensitiser

1,3-Isobenzofurandione (CAS 85-44-9)	Sensitizer.
--------------------------------------	-------------

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity See below.

ACGIH Carcinogens

Ethylbenzene (CAS 100-41-4)	A3 Confirmed animal carcinogen with unknown relevance to humans.
Heavy aromatic solvent naphtha (petroleum) (CAS 64742-94-5)	A3 Confirmed animal carcinogen with unknown relevance to humans.

Canada - Manitoba OELs: carcinogenicity

ETHYL BENZENE (CAS 100-41-4)	Confirmed animal carcinogen with unknown relevance to humans.
KEROSENE (NON-AEROSOL), AS TOTAL HYDROCARBON VAPOR (CAS 64742-94-5)	Confirmed animal carcinogen with unknown relevance to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Ethylbenzene (CAS 100-41-4)	Volume 77 - 2B Possibly carcinogenic to humans.
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)	Volume 40, Supplement 7 - 3 Not classifiable as to carcinogenicity to humans.
Silica, amorphous, fumed, crystalline free (CAS 112945-52-5)	Volume 68 - 3 Not classifiable as to carcinogenicity to humans.
Titanium oxide (CAS 13463-67-7)	Volume 47, Volume 93 - 2B Possibly carcinogenic to humans.
Xylene (CAS 1330-20-7)	Volume 47, Volume 71 - 3 Not classifiable as to carcinogenicity to humans.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Ethylbenzene (CAS 100-41-4)	
Titanium oxide (CAS 13463-67-7)	

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Teratogenicity Not available.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological Information

Ecotoxicity See below

Ecotoxicological data

Components		Species	Test Results
Titanium oxide (CAS 13463-67-7)			
Aquatic			
Crustacea	EC50	Water flea (<i>Daphnia magna</i>)	> 1000 mg/L, 48 hours
Fish	LC50	Mummichog (<i>Fundulus heteroclitus</i>)	> 1000 mg/L, 96 hours
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential			
Mobility in soil			
Mobility in general	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

13. Disposal Considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Canada CEPA Schedule I: Listed substance

2-Butanone, oxime (CAS 96-29-7)	Listed.
Cyclotetrasiloxane, octamethyl- (CAS 556-67-2)	Listed.
Titanium oxide (CAS 13463-67-7)	Listed.

Canada DSL Challenge Substances: Listed substance

2-Butanone, oxime (CAS 96-29-7)	Listed.
Cyclotetrasiloxane, octamethyl- (CAS 556-67-2)	Listed.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

2-Propanol, 1-methoxy-, acetate (CAS 108-65-6)	1 TONNES
Acetic acid, butyl ester (CAS 123-86-4)	1 TONNES
Heavy aromatic solvent naphtha (petroleum) (CAS 64742-94-5)	1 TONNES
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)	1 TONNES
Xylene (CAS 1330-20-7)	1 TONNES

Canada Priority Substances List (Second List): Listed substance

Titanium oxide (CAS 13463-67-7)	Listed.
---------------------------------	---------

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Controlled

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Cyclotetrasiloxane, octamethyl- (CAS 556-67-2) 1.0 % One-Time Export Notification only.

CERCLA Hazardous Substance List (40 CFR 302.4)

1,3-Isobenzofurandione (CAS 85-44-9)	Listed.
2-Propanol, 1-methoxy- (CAS 107-98-2)	Listed.
Acetic acid, butyl ester (CAS 123-86-4)	Listed.
Ethylbenzene (CAS 100-41-4)	Listed.
Xylene (CAS 1330-20-7)	Listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

1,3-Isobenzofurandione (CAS 85-44-9)
Ethylbenzene (CAS 100-41-4)
Xylene (CAS 1330-20-7)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below

US - California Hazardous Substances (Director's): Listed substance

1,3-Isobenzofurandione (CAS 85-44-9)	Listed.
2,4-Pentanediol, 2-methyl- (CAS 107-41-5)	Listed.
2-Propanol, 1-methoxy- (CAS 107-98-2)	Listed.
Acetic acid, butyl ester (CAS 123-86-4)	Listed.
Ethylbenzene (CAS 100-41-4)	Listed.
Heavy aromatic solvent naphtha (petroleum) (CAS 64742-94-5)	Listed.
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)	Listed.
Neodecanoic Acid, Zirconium Salt (CAS 39049-04-2)	Listed.
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)	Listed.
Silica, amorphous, fumed, crystalline free (CAS 112945-52-5)	Listed.
Xylene (CAS 1330-20-7)	Listed.

US - Illinois Chemical Safety Act: Listed substance

1,3-Isobenzofurandione (CAS 85-44-9) 2-Propanol, 1-methoxy- (CAS 107-98-2) Acetic acid, butyl ester (CAS 123-86-4)
Ethylbenzene (CAS 100-41-4)
Xylene (CAS 1330-20-7)

US - Louisiana Spill Reporting: Listed substance

1,3-Isobenzofurandione (CAS 85-44-9) 2-Propanol, 1-methoxy- (CAS 107-98-2) Acetic acid, butyl ester (CAS 123-86-4)	Listed.
Ethylbenzene (CAS 100-41-4)	Listed.
Xylene (CAS 1330-20-7)	Listed.

US - Michigan Critical Materials Register: Parameter number

Xylene (CAS 1330-20-7)

US - Minnesota Haz Subs: Listed substance

1,3-Isobenzofurandione (CAS 85-44-9) Listed.
2,4-Pentanediol, 2-methyl- (CAS 107-41-5) Listed.
2-Butanone, oxime (CAS 96-29-7) Listed.
2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.
Acetic acid, butyl ester (CAS 123-86-4) Listed.
Ethylbenzene (CAS 100-41-4) Listed.
Heavy aromatic solvent naphtha (petroleum) (CAS 64742-94-5) Listed.
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9) Listed.
Neodecanoic Acid, Zirconium Salt (CAS 39049-04-2) Listed.
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0) Listed.
Silica, amorphous, fumed, crystalline free (CAS 112945-52-5) Listed.
Titanium oxide (CAS 13463-67-7) Listed.
Xylene (CAS 1330-20-7) Listed.

US - New Jersey RTK - Substances: Listed substance

1,3-Isobenzofurandione (CAS 85-44-9)
2,4-Pentanediol, 2-methyl- (CAS 107-41-5)
2-Propanol, 1-methoxy- (CAS 107-98-2)
Acetic acid, butyl ester (CAS 123-86-4)
Ethylbenzene (CAS 100-41-4)
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)
Titanium oxide (CAS 13463-67-7)
Xylene (CAS 1330-20-7)

US - North Carolina Toxic Air Pollutants: Listed substance

Xylene (CAS 1330-20-7)

US - Texas Effects Screening Levels: Listed substance

1,3-Isobenzofurandione (CAS 85-44-9) Listed.
2,4-Pentanediol, 2-methyl- (CAS 107-41-5) Listed.
2-Butanone, oxime (CAS 96-29-7) Listed.
2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.
2-Propanol, 1-methoxy-, acetate (CAS 108-65-6) Listed.
Acetic acid, butyl ester (CAS 123-86-4) Listed.
Cyclotetrasiloxane, octamethyl- (CAS 556-67-2) Listed.
Ethylbenzene (CAS 100-41-4) Listed.
Heavy aromatic solvent naphtha (petroleum) (CAS 64742-94-5) Listed.
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9) Listed.
N-ethyl-N-hydroxyethanamine (CAS 3710-84-7) Listed.
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0) Listed.
Silica, amorphous, fumed, crystalline free (CAS 112945-52-5) Listed.
Titanium oxide (CAS 13463-67-7) Listed.
Xylene (CAS 1330-20-7) Listed.

US - Washington Chemical of High Concern to Children: Listed substance

Ethylbenzene (CAS 100-41-4)

US. Massachusetts RTK - Substance List

1,3-Isobenzofurandione (CAS 85-44-9)
2,4-Pentanediol, 2-methyl- (CAS 107-41-5)
2-Propanol, 1-methoxy- (CAS 107-98-2)
Acetic acid, butyl ester (CAS 123-86-4)
Ethylbenzene (CAS 100-41-4)
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)
Silica, amorphous, fumed, crystalline free (CAS 112945-52-5)
Titanium oxide (CAS 13463-67-7)
Xylene (CAS 1330-20-7)

US. New Jersey Worker and Community Right-to-Know Act

1,3-Isobenzofurandione (CAS 85-44-9)
Ethylbenzene (CAS 100-41-4)

Heavy aromatic solvent naphtha (petroleum) (CAS 64742-94-5)
Xylene (CAS 1330-20-7)

US. Pennsylvania Worker and Community Right-to-Know Law

1,3-Isobenzofurandione (CAS 85-44-9)
2,4-Pentanediol, 2-methyl- (CAS 107-41-5)
2-Propanol, 1-methoxy- (CAS 107-98-2)
Acetic acid, butyl ester (CAS 123-86-4)
Ethylbenzene (CAS 100-41-4)
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)
Silica, amorphous, fumed, crystalline free (CAS 112945-52-5)
Titanium oxide (CAS 13463-67-7)
Xylene (CAS 1330-20-7)

US. Rhode Island RTK

1,3-Isobenzofurandione (CAS 85-44-9)
2,4-Pentanediol, 2-methyl- (CAS 107-41-5)
2-Propanol, 1-methoxy- (CAS 107-98-2)
Acetic acid, butyl ester (CAS 123-86-4)
Ethylbenzene (CAS 100-41-4)
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)
Neodecanoic Acid, Zirconium Salt (CAS 39049-04-2)
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)
Titanium oxide (CAS 13463-67-7)
Xylene (CAS 1330-20-7)

US. California Proposition 65

WARNING: This product can expose you to chemicals including titanium oxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Ethylbenzene (CAS 100-41-4) Listed: June 11, 2004
Titanium oxide (CAS 13463-67-7) Listed: September 2, 2011

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	* 2
FLAMMABILITY	2
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X



Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

20-June-2019

Version #

02

Effective date

20-June-2019

Prepared by

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.